

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

BOSTIK EXPRESS POINTING MORTAR GREY Supercedes Date: 15-Jan-2021 Revision date 07-Nov-2022 Revision Number 3

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name BOSTIK EXPRESS POINTING MORTAR GREY

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use	Fillers, putties, plasters, modelling clay

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name Bostik Limited Common Rd ST16 3EH Stafford UK Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address

SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom

Bostik: +44 (1785) 272650 NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

Signal word None

Hazard statements

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

EU Specific Hazard Statements

EUH208 - Contains reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] & 1,2-benzisothiazol-3(2H)-one [BIT]. May produce an allergic reaction EUH210 - Safety data sheet available on request

BOSTIK EXPRESS POINTING MORTAR GREY

Supercedes Date: 15-Jan-2021

2.3. Other hazards

No information available.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Quartz	238-878-4	14808-60-7	40 - <80	[B]	-	[5]
Titanium dioxide	(022-006-00- 2) 236-675-5	13463-67-7	0.1- <1	[C]	-	01-2119489379- 17-XXXX
Ethylene glycol	(603-027-00- 1) 203-473-3	107-21-1	0.1- <1	STOT RE 2 (H373) Acute Tox. 4 (H302)	-	01-2119456816- 28-XXXX
1,2-benzisothiazol-3(2H) -one [BIT]	(613-088-00- 6) 220-120-9	2634-33-5	0.0025 - <0.01	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 2 (H411)	Skin Sens. 1 :: C>=0.05%	01-2120761540- 60-XXXX
reaction mass of 5-chloro-2-methyl-2H-iso thiazol-3-one and 2-methyl-2H-isothiazol-3 -one (3:1) [C(M)IT/MIT]		55965-84-9	<0.0015	Acute Tox. 3	Eye Dam. 1 :: C>=0.6% Eye Irrit. 2 :: 0.06%<=C<0.6% Skin Corr. 1C :: C>=0.6% Skin Irrit. 2 :: 0.06%<=C<0.6% Skin Sens. 1 :: C>=0.0015%	01-2120764691- 48-XXXX

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

Full text of H- and EUH-phrases: see section 16

BOSTIK EXPRESS POINTING MORTAR GREY

Supercedes Date: 15-Jan-2021

Note: ^ indicates not classified, however, the substance is listed in section 3 as it has an OEL

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures			
4.1. Description of first aid measur	<u>es_</u>		
General advice	If medical advice is needed, have product container or label at hand.		
Inhalation	Remove to fresh air. Get medical attention immediately if symptoms occur.		
Eye contact	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Consult an ophthalmologist.		
Skin contact	Wash off immediately with soap and plenty of water. In the case of skin irritation or allergic reactions see a doctor.		
Ingestion	Do NOT induce vomiting. Clean mouth with water. Never give anything by mouth to an unconscious person. Call a doctor or poison control centre immediately.		
4.2. Most important symptoms and	effects, both acute and delayed		
Symptoms	No information available.		
4.3. Indication of any immediate me	edical attention and special treatment needed		
Note to doctors	No information available.		
SECTION 5: Firefighting mea	asures		
5.1. Extinguishing media			
Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam.		
Unsuitable extinguishing media	Full water jet.		
5.2. Special hazards arising from the second s	ne substance or mixture		
Specific hazards arising from the chemical	Thermal decomposition can lead to release of irritating gases and vapours.		
Hazardous combustion products	Carbon monoxide. Carbon dioxide (CO2).		
5.3. Advice for firefighters			
Special protective equipment and precautions for fire-fighters	Wear self contained breathing apparatus for fire fighting if necessary.		
SECTION 6: Accidental release measures			
	ase measures		

Personal precautions Ensure adequate ventilation. Use personal protective equipment as required. Avoid contact with skin, eyes or clothing.

BOSTIK EXPRESS POINTING MORTAR GREY

Supercedes Date: 15-Jan-2021

For emergency responders	Use personal protection recommended in Section 8.		
6.2. Environmental precautions			
Environmental precautions	Prevent product from entering drains. Do not allow to enter into soil/subsoil. See Section 12 for additional Ecological Information.		
6.3. Methods and material for conta	ainment and cleaning up		
Methods for containment	Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal.		
Methods for cleaning up	Take up mechanically, placing in appropriate containers for disposal.		
Prevention of secondary hazards	Clean contaminated objects and areas thoroughly observing environmental regulations.		
6.4. Reference to other sections			
Reference to other sections	See section 8 for more information. See section 13 for more information.		
SECTION 7: Handling and st	orage		
7.1. Precautions for safe handling	_		
Advice on safe handling	Ensure adequate ventilation. Use personal protection equipment. Avoid contact with skin, eyes or clothing.		
General hygiene considerations	Do not eat, drink or smoke when using this product. Wash hands before breaks and after work. Take off contaminated clothing and wash it before reuse.		
7.2. Conditions for safe storage, in	cluding any incompatibilities		
Storage Conditions	Protect from frost. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from food, drink and animal feedingstuffs.		
Recommended storage temperature	Keep at temperatures between 10 and 35 °C.		
7.3. Specific end use(s)			
Specific use(s) Fillers, putties, plasters, modelling cla	ay.		
Risk Management Methods (RMM)	The information required is contained in this Safety Data Sheet.		
Other information	Observe technical data sheet.		
SECTION 8: Exposure contro	ols/personal protection		
8.1. Control parameters			
Exposure Limits	This product contains titanium dioxide in a non-respirable form. Inhalation of titanium dioxide is unlikely to occur from exposure to this product		

Chemical name	European Union	United Kingdom
Quartz	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7	_	STEL: 0.3 mg/m ³
Limestone	-	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Ashes (residues), cenospheres	-	TWA: 10 mg/m ³

BOSTIK EXPRESS POINTING MORTAR GREY

Supercedes Date: 15-Jan-2021

Revision date 07-Nov-2022 Revision Number 3

93924-19-7		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Titanium dioxide	-	TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Ethylene glycol	TWA: 20 ppm	TWA: 10 mg/m ³
107-21-1	TWA: 52 mg/m ³	TWA: 20 ppm
	STEL: 40 ppm	TWA: 52 mg/m ³
	STEL: 104 mg/m ³	STEL: 40 ppm
	*	STEL: 104 mg/m ³
		STEL: 30 mg/m ³
		Sk*

Derived No Effect Level (DNEL) No

No information available

Derived No Effect Level (DNEL)			
Quartz (14808-60-7)			
Titanium dioxide (13463-67-7)			
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Local health effects	Inhalation	10 mg/m³	

Ethylene glycol (107-21-1)				
Туре		Derived No Effect Level (DNEL)	Safety factor	
worker Long term Systemic health effects	Dermal	106 mg/kg bw/d		
worker Long term Systemic health effects	Inhalation	35 mg/m³		

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)		
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor
worker Long term Systemic health effects	Inhalation	6.81 mg/m ³	
worker Long term Systemic health effects	Dermal	0.966 mg/kg bw/d	

Derived No Effect Level (DNEL)				
Titanium dioxide (13463-67-7)				
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term Systemic health effects	Oral	700 mg/kg bw/d		

Ethylene glycol (107-21-1)				
Туре		Derived No Effect Level (DNEL)	Safety factor	
Consumer Long term	Dermal	53 mg/kg bw/d		

BOSTIK EXPRESS POINTING MORTAR GREY

Supercedes Date: 15-Jan-2021

Systemic health effects			
Consumer	Inhalation	7 mg/m³	
Long term			
Local health effects			

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)					
Туре	Exposure route	Derived No Effect Level (DNEL)	Safety factor		
Consumer Long term Systemic health effects	Inhalation	1.2 mg/m³			
Consumer Long term Systemic health effects	Dermal	0.345 mg/kg bw/d			

Predicted No Effect Concentration (PNEC)

Predicted No Effect Concentration (PNEC)			
Titanium dioxide (13463-67-7)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Marine water	0.0184 mg/l		
Freshwater sediment	1000 mg/kg		
Freshwater	0.184 mg/l		
Marine sediment	100 mg/kg		
Soil	100 mg/kg		
Microorganisms in sewage treatment	100 mg/l		
Freshwater - intermittent	0.193 mg/l		

Ethylene glycol (107-21-1)	
Environmental compartment	Predicted No Effect Concentration (PNEC)
Freshwater	10 mg/l
Marine water	1 mg/l
Freshwater sediment	37 mg/kg dry weight
Marine sediment	3.7 mg/kg dry weight
Soil	1.53 mg/kg dry weight
Microorganisms in sewage treatment	199.5 mg/l

1,2-benzisothiazol-3(2H)-one [BIT] (2634-33-5)			
Environmental compartment	Predicted No Effect Concentration (PNEC)		
Freshwater	4.03 μg/l		
Marine water	0.403 µg/l		
Sewage treatment plant	1.03 mg/l		
Freshwater sediment	49.9 μg/l		
Marine sediment	4.99 μg/l		
Soil	3 mg/kg dry weight		

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Personal protective equipment Eye/face protection If splashes are likely to occur, wear safety glasses with side-shields. Eye protection must conform to standard EN 166. Wear protective gloves. Recommended Use: Nitrile rubber. Neoprene™. Glove thickness Hand protection > 0.4 mm. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific gloves. The breakthrough time for the mentioned glove material is in general greater than 480 min. Gloves must conform to standard EN 374 Skin and body protection Wear suitable protective clothing. Respiratory protection None under normal use conditions.

BOSTIK EXPRESS POINTING MORTAR GREY

Supercedes Date: 15-Jan-2021

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical		_
Physical state	Solid	
Appearance	Paste	
Colour	Grey	
Odour	Characteristic.	
Odour threshold	No information available	
Property_	Values	Remarks • Method
Melting point / freezing point	<u> </u>	
Initial boiling point and boiling	100 °C	
range		
Flammability	No data available	
Flammability Limit in Air		None known
Upper flammability or explosive	No data available	
limits		
Lower flammability or explosive	No data available	
limits		
Flash point	Not applicable .	
Autoignition temperature	No data available	
Decomposition temperature		None known
pH	7 - 9	
pH (as aqueous solution)	No data available	
Kinematic viscosity	$> 21 \text{ mm}^2/\text{s}$	@ 40 °C
Dynamic viscosity	No data available	
Water solubility	Partially soluble.	
Solubility(ies)	No data available	
Partition coefficient	No data available	
Vapour pressure	120	hPa @ 50 °C
Relative density	No data available	
Bulk Density	No data available	
Liquid Density	1.66 g/cm ³	
Relative vapour density	No data available	
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	
9.2. Other information		
Solid content (%)	No information available	
VOC content		No data available

9.2.1. Information with regards to physical hazard classes Not applicable

9.2.2. Other safety characteristics No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity

Not applicable.

10.2. Chemical stability	
Stability	Stable under normal conditions.

BOSTIK EXPRESS POINTING MORTAR GREY

Supercedes Date: 15-Jan-2021

	—
Explosion data	
Sensitivity to mechanical impact	None.
Sensitivity to static discharge	None.
10.3. Possibility of hazardous reac	tions
Possibility of hazardous reactions	None under normal processing.
10.4. Conditions to avoid	
Conditions to avoid	Protect from frost.
10.5. Incompatible materials	
Incompatible materials	None known based on information supplied.
10.6. Hazardous decomposition pro	oducts
Hazardous decomposition products	None under normal use conditions. Stable under recommended storage conditions.
SECTION 11: Toxicological i	nformation

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation	Based on available data, the classification criteria are not met.
Eye contact	Based on available data, the classification criteria are not met.
Skin contact	Based on available data, the classification criteria are not met.
Ingestion	Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms No information available.

Acute toxicity

Numerical measures of toxicity

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50	
Quartz	>2000 mg/kg (Rattus)	-	-	
Titanium dioxide	>10000 mg/kg (Rattus)	LD50 > 5000 mg/Kg	= 5.09 mg/L (Rattus)4 h	
Ethylene glycol	ATE 500 mg/kg	= 10600 mg/kg (Rattus) = 9530 μL/kg (Oryctolagus cuniculus)	> 2.5 mg/L (Rat)6 h	
1,2-benzisothiazol-3(2H)-one [BIT]	=670 mg/kg (Rattus)	LD50 > 2000 mg/kg (Rattus)	-	

BOSTIK EXPRESS POINTING MORTAR GREY

Supercedes Date: 15-Jan-2021

reaction mass of	= 53 mg/kg (Rat)	LD50 = 87.12 mg/kg	= 0.33 mg/L (Rat) 4h
5-chloro-2-methyl-2H-isothiazo		(Oryctolagus cuniculus)	
I-3-one and			
2-methyl-2H-isothiazol-3-one			
(3:1) [C(M)IT/MIT]			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)						
Method	Species	Exposure route	Effective dose	Exposure time	Results	
OECD Test No. 404:	Rabbit	Dermal			Non-irritant	
Acute Dermal						
Irritation/Corrosion						

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Titanium dioxide (13463-67-7)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 405:	Rabbit	Eye			Non-irritant
Acute Eye					
Irritation/Corrosion					

Respiratory or skin sensitisation May produce an allergic reaction.

Method	Species	Exposure route	Results
OECD Test No. 406: Skin Sensitisation	Guinea pig	Dermal	Not a skin sensitise
OECD Test No. 429: Skin Sensitisation: Local Lymph Node Assay	Mouse	Dermal	Not a skin sensitiser
Germ cell mutagenicity	Based on available d	ata, the classification criteria ar	e not met.
Carcinogenicity	Based on available d	ata, the classification criteria ar	e not met.
Reproductive toxicity	Based on available d	ata, the classification criteria ar	e not met.
STOT - single exposure	Based on available d	ata, the classification criteria ar	e not met.
STOT - repeated exposure	Based on available d	ata, the classification criteria ar	e not met.
Aspiration hazard	Based on available d	ata, the classification criteria ar	e not met.

11.2.1. Endocrine disrupting properties

BOSTIK EXPRESS POINTING MORTAR GREY

Supercedes Date: 15-Jan-2021

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects

No information available.

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

	Fish	Taviaituta	Crustanan		
v .	-			M-Factor	M-Factor
		microorganisms			(long-term)
LC50 (96h)	-	-	-		
>10000 mg/l					
(Cyprinodon					
variegatus)					
OECD 203					
EC50: 6500 -	LC50 96 h =	EC50 = 10000	EC50:		
13000mg/L (96h,	16000 mg/L	mg/L 16 h	=46300mg/L		
Pseudokirchneri	(Poecilia	EC50 = 620	(48h, Daphnia		
ella subcapitata)	reticulata static)	mg/L 30 min	magna)		
		EC50 = 620.0			
		mg/L 30 min			
EC50 3Hr	LC50 (96hr) 2.15	-	EC50(48hr) 2.94	1	
13mg/l (activated	mg/I Cyprinodon		mg/l (Daphnia		
sludge) (OECD	variegatus EPA		Magna) OECD		
209)	540/9-85-006		202		
EC50 (72h)	EC50 (96h) =	-	EC50 (48h) =0.1	100	100
=0.048 mg/L	0.22 mg/L		mg/L (Daphnia		
(Pseudokirchner	(Oncorhynchus		magna) (OECD		
iella subcapitata)			202)		
			,		
	,				
	(Cyprinodon variegatus) OECD 203 EC50: 6500 - 13000mg/L (96h, Pseudokirchneri ella subcapitata) EC50 3Hr 13mg/l (activated sludge) (OECD 209) EC50 (72h) =0.048 mg/L (Pseudokirchner	plants LC50 (96h) - >10000 mg/l (Cyprinodon - variegatus) OECD 203 EC50: 6500 - 12000 mg/L 13000mg/L (96h, 16000 mg/L Pseudokirchneri (Poecilia ella subcapitata) reticulata static) EC50 3Hr LC50 (96hr) 2.15 13mg/l (activated sludge) (OECD mg/l Cyprinodon sudge) (OECD 540/9-85-006 EC50 (72h) EC50 (96h) = =0.048 mg/L 0.22 mg/L (Pseudokirchneri (Oncorhynchus iella subcapitata) mykiss) (OECD	plants microorganisms LC50 (96h) - - >10000 mg/l (Cyprinodon variegatus) - - OECD 203 - - EC50: 6500 - 13000mg/L (96h, Pseudokirchneri LC50 96 h = (Poecilia ella subcapitata) EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min EC50 (72h) EC50 (96h) = 0.22 mg/L (Pseudokirchner (Oncorhynchus iella subcapitata) mykiss) (OECD	plants microorganisms LC50 (96h) - - >10000 mg/l (Cyprinodon variegatus) OECD 203 - - EC50: 6500 - 13000mg/L (96h, Pseudokirchneri ella subcapitata) LC50 96 h = 16000 mg/L (Poecilia reticulata static) EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min EC50 = 620.0 mg/L 30 min EC50 = 620.0 mg/L 30 min EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202 EC50 3Hr 13mg/l (activated gluge) (OECD 209) LC50 (96hr) 2.15 540/9-85-006 - EC50(48hr) 2.94 mg/l (Daphnia Magna) OECD 202 EC50 (72h) EC50 (96h) = 0.048 mg/L - EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202)	plants microorganisms LC50 (96h) >10000 mg/l (Cyprinodon variegatus) OECD 203 - - - EC50: 6500 - 13000mg/L (96h, Pseudokirchneri LC50 96 h = 16000 mg/L (Poecilia reticulata static) EC50 = 10000 mg/L 16 h EC50 = 620 mg/L 30 min EC50 = 620.0 mg/L 30 min EC50 = 620.0 mg/L 30 min EC50 = 620.0 mg/L 30 min EC50 = 620.0 mg/L 30 min =46300mg/L (48h, Daphnia magna) EC50 3Hr 13mg/l (activated 209) LC50 (96hr) 2.15 540/9-85-006 - EC50(48hr) 2.94 Magna) OECD 202 1 EC50 (72h) =0.048 mg/L (Pseudokirchner iella subcapitata) LC50 (96h) = 0.22 mg/L (Oncorhynchus mykiss) (OECD - EC50 (48h) =0.1 mg/L (Daphnia magna) (OECD 202 100

12.2. Persistence and degradability

Persistence and degradability No information available.

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT] (55965-84-9)

Method	Exposure time	Value	Results
OECD Test No. 301B: Ready	28 days	biodegradation	Not readily biodegradable
Biodegradability: CO2 Evolution Tes	t		
(TG 301 B)			

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name	Partition coefficient
Ethylene glycol	-1.36
1,2-benzisothiazol-3(2H)-one [BIT]	0.7
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	0.7
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.4. Mobility in soil

Mobility in soil

No information available.

BOSTIK EXPRESS POINTING MORTAR GREY

Supercedes Date: 15-Jan-2021

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment No information available.

Chemical name	PBT and vPvB assessment
Titanium dioxide	The substance is not PBT / vPvB PBT assessment does
	not apply
Ethylene glycol	The substance is not PBT / vPvB PBT assessment does
	not apply
1,2-benzisothiazol-3(2H)-one [BIT]	The substance is not PBT / vPvB
reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and	The substance is not PBT / vPvB
2-methyl-2H-isothiazol-3-one (3:1) [C(M)IT/MIT]	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products	Dispose of contents/container in accordance with local, regional, national, and international regulations as applicable.
Contaminated packaging	Handle contaminated packages in the same way as the product itself.
European Waste Catalogue	08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09
Other information	Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

Note:

Keep from freezing.

14.2 Proper Shipping NameNot regula14.3 Transport hazard class(es)Not regula14.4 Packing groupNot regula14.5 Marine pollutantNP14.6 Special ProvisionsNone	ort (ADR/RID)Not regulatednber or ID numberNot regulatedShipping NameNot regulatedort hazard class(es)Not regulatedg groupNot regulatednmental hazardsNot applicableProvisionsNone
according to IMO instruments	Shipping NameNot regulatedort hazard class(es)Not regulatedg groupNot regulatedpollutantNPProvisionsNoneme transport in bulkNot applicable

BOSTIK EXPRESS POINTING MORTAR GREY Supercedes Date: 15-Jan-2021 Revision date 07-Nov-2022 Revision Number 3

Air transport (ICAO-TI / IATA-DGR)			
14.1 UN number or ID number	Not regulated		
14.2 Proper Shipping Name	Not regulated		
14.3 Transport hazard class(es)	Not regulated		
14.4 Packing group	Not regulated		
14.5 Environmental hazards	Not applicable		
14.6 Special Provisions	None		

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Biocidal Products Regulation (EU) No 528/2012 (BPR)

Contains a biocide : Contains C(M)IT/MIT (3:1). May produce an allergic reaction

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Persistent Organic Pollutants Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed H302 - Harmful if swallowed H310 - Fatal in contact with skin

BOSTIK EXPRESS POINTING MORTAR GREY

Supercedes Date: 15-Jan-2021

H314 - Causes severe skin burns and eye damage

- H315 Causes skin irritation
- H317 May cause an allergic skin reaction
- H318 Causes serious eye damage
- H330 Fatal if inhaled
- H373 May cause damage to organs through prolonged or repeated exposure
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H411 Toxic to aquatic life with long lasting effects

Legend

Logena	
TWA	TWA (time-weighted average)
STEL	STEL (Short Term Exposure Limit)
Ceiling	Ceiling Limit Value
*	Skin designation
SVHC	Substance(s) of Very High Concern
PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals
STOT RE	Specific target organ toxicity - Repeated exposure
STOT SE	Specific target organ toxicity - Single exposure
EWC	European Waste Catalogue
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
IMDG	International Maritime Dangerous Goods (IMDG)
ΙΑΤΑ	International Air Transport Association (IATA)
RID	Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data No information available

Prepared By	Product Safety & Regulatory Affairs
Revision date	07-Nov-2022
Indication of changes	
Revision note	SDS sections updated.
Training Advice	No information available
Further information	No information available

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet